

島根原子力発電所 格子状定線の水温(第1回)

(平成18年7月13日 9:30~11:16)

1号機出力: 47 万kW 1号機放水量: 30 m³/s 天候: 晴 気温: 27.4℃ ○水温の最高 27.0 °C (定線J・距離0m・0m層)
 2号機出力: 82 万kW 2号機放水量: 60 m³/s 風向・風速: 西北西、1.5 m/s 風浪: 2 ○水温の最低 18.9 °C (定線B・距離3500m・70m層, 他3点)

定線	距離 (m)	開始 時刻	終了 時刻	測定水深 (m)																																
				0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	25.0	30.0	40.0	50.0	60.0	70.0	海底1.1m					
A線	750	漁網のため欠測																																		
	1500	10:02	10:06	23.9	23.9	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.4	23.2	23.1	23.0	23.0	22.8	21.2	19.7	19.5	19.2				
B線	750	9:30	9:37	23.7	23.7	23.7	23.5	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.4	23.4	23.4	23.4	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.1		
	1500	9:55	10:00	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7	23.7		
C線	2000	10:15	10:25	23.8	23.7	23.6	23.5	23.5	23.5	23.5	23.4	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.3	23.3	23.4	23.3	23.2	22.0	21.0	19.6	19.3	19.1	19.1			
	3500	11:04	11:15	23.8	23.8	23.8	23.5	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	23.1	23.0	22.0	21.5	19.7	19.5	19.3	18.9	18.9	18.9			
D線	500	9:40	9:45	24.4	24.1	23.8	23.7	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.1	23.0	22.8	22.8	22.8	21.8	20.1				23.5	19.4			
	1000	9:30	9:35	24.0	23.7	23.7	23.6	23.6	23.6	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.1	23.0	22.8	22.8	22.8	21.8	20.1							19.1	19.1		
E線	1500	10:40	10:45	23.8	23.5	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.2	23.1	23.1	23.1	23.2	23.3	23.3	23.2	23.0	22.9	22.4	22.3	21.0	20.4	19.5	19.2						19.1		
	2000	10:05	10:10	24.0	23.8	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.4	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.3	23.3	23.3	22.3	21.0	19.7	19.5				19.1		
F線	500	工事区域内のため欠測																																		
	750	工事区域内のため欠測																																		
G線	1000	9:45	9:51	24.0	23.2	23.2	23.2	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.2	23.2	23.2	23.1	23.0	22.8	22.6	22.5	22.3	21.3	19.9			19.4			
	1250	10:08	10:12	24.2	23.5	23.5	23.4	23.3	23.3	23.2	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.2	23.2	23.2	23.1	22.9	22.9	22.8	21.1	20.2	19.5					19.1		
H線	1500	10:21	10:25	23.9	23.6	23.6	23.6	23.5	23.4	23.3	23.2	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.2	23.2	23.2	23.1	22.9	22.8	22.7	22.5	21.8	20.7	20.5	19.5				19.1		
	2000	10:51	10:56	23.8	23.4	23.4	23.3	23.3	23.3	23.2	23.2	23.1	23.1	23.1	23.1	23.1	23.1	23.2	23.2	23.1	22.9	22.9	22.7	22.6	22.3	21.1	20.8	19.5	19.2					19.0		
I線	3500	10:37	10:47	23.8	23.8	23.7	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.1	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	18.9	18.9
	500	工事区域内のため欠測																																		
J線	750	工事区域内のため欠測																																		
	1000	9:46	9:49	23.6	23.7	23.5	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	19.9
K線	1250	9:52	9:55	24.1	23.7	23.7	23.6	23.5	23.4	23.3	23.3	23.2	23.2	23.1	23.1	23.1	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	23.1	22.4	21.5	19.6				19.1	
	1500	10:29	10:33	24.0	24.1	24.0	23.9	23.7	23.6	23.5	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	23.2	23.2	23.2	23.2	23.1	22.1	21.2	19.7				19.2	
L線	0	工事区域内のため欠測																																		
	250	工事区域内のため欠測																																		
M線	500	工事区域内のため欠測																																		
	750	工事区域内のため欠測																																		
N線	1000	9:40	9:43	24.3	23.8	23.6	23.5	23.4	23.4	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	19.8
	1250	9:59	10:02	23.8	23.8	23.6	23.5	23.5	23.4	23.1	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	22.1	21.4	19.8				19.5	
O線	1500	10:20	10:24	24.0	23.9	23.9	23.7	23.4	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	22.7	21.3	19.6				19.3	
	2000	10:36	10:40	24.0	23.9	23.8	23.8	24.1	24.1	24.1	24.1	24.0	23.8	23.5	23.3	23.3	23.1	23.1	23.1	23.1	23.1	23.2	23.1	23.2	23.2	23.3	23.2	22.1	20.8	19.9	19.4				19.1	
P線	0	工事区域内のため欠測																																		
	250	工事区域内のため欠測																																		
Q線	500	工事区域内のため欠測																																		
	750	工事区域内のため欠測																																		
R線	1000	9:30	9:34	25.0	24.3	23.7	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	19.8
	1250	10:04	10:07	24.5	24.3	23.7	23.6	23.6	23.5	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.0	21.8	19.6				19.5
S線	1500	10:10	10:13	24.1	24.1	23.8	23.6	23.3	23.2	23.2	23.2	23.2	23.3	23.3	23.3	23.2	23.3	23.3	23.3	23.3	23.2	23.3	23.3	23.3	23.2	23.3	23.2	23.3	23.2	23.0	21.9	20.8	19.6			19.3

■: 水温の最高 □: 水温の最低

定線	距離 (m)	開始時刻	終了時刻	測定水深 (m)																														海底 1.1m	
				0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	25.0	30.0	40.0	50.0	60.0	70.0					
	0			工事区域内のため欠測																															
	250			工事区域内のため欠測																															
	500			工事区域内のため欠測																															
I線	750	9:52	9:56	24.2	23.6	23.5	23.5	23.5	23.4	23.4	23.5	23.6	23.5	23.4	23.4	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	22.6	21.4							20.4	
	1000	9:57	10:01	24.7	24.3	23.6	23.5	23.5	23.4	23.3	23.4	23.4	23.4	23.5	23.5	23.3	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.2	22.7	21.5						19.7	
	1250	10:02	10:06	24.4	23.7	23.6	23.6	23.6	23.4	23.3	23.3	23.4	23.1	23.4	23.6	23.5	23.3	23.4	23.4	23.1	23.3	23.3	23.3	23.3	23.2	22.9	21.4	19.6						19.6	
	1500	10:07	10:12	24.2	24.0	23.8	23.7	23.4	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.3	23.2	23.2	23.3	23.3	23.2	23.2	23.2	23.1	23.1	22.3	21.0	19.8						19.5
	2000	10:14	10:18	24.1	23.6	23.5	23.4	23.4	23.3	23.3	23.2	23.1	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.3	23.3	23.1	23.0	23.0	22.0	20.5	19.7	19.3				19.3
	2500	10:21	10:25	23.9	23.8	23.6	23.5	23.5	23.5	23.4	23.3	23.3	23.2	23.2	23.1	23.1	23.1	23.1	23.1	23.1	23.2	23.1	23.2	23.2	23.2	23.2	23.2	21.5	20.8	19.8	19.5				19.2
J線	0	9:34	9:36	26.3	24.2	23.6	23.6	23.6	23.6	23.5	23.4	23.5	23.5																					23.5	
	250	9:38	9:41	26.9	25.2	23.7	23.6	23.6	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2								23.2		
	500	9:43	9:45	25.0	21.3	23.9	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.1	22.7						22.6		
	750	10:02	10:04	24.5	24.5	23.7	23.6	23.5	23.5	23.5	23.4	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.6	23.5	23.3	23.3	23.1	23.3	23.3	23.2	22.5	21.2					20.2	
	1000	10:08	10:11	24.5	24.2	23.7	23.6	23.6	23.5	23.5	23.4	23.5	23.6	23.6	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.1	23.3	23.3	23.2	22.2	21.1						19.7	
	1250	10:30	10:31	24.3	24.2	23.7	23.6	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.5	23.6	23.5	23.4	23.4	23.3	23.4	23.1	23.3	23.3	23.2	23.2	21.9	21.4	19.6					19.6	
1500	11:03	11:06	23.9	23.9	23.7	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	21.7	21.1	19.8					19.5		
0	9:30	9:32	26.9	25.3	23.9	23.7	23.6	23.6																										23.6	
K線	250	9:44	9:46	26.5	25.8	24.6	23.8	23.7	23.6	23.6	23.5	23.5	23.5	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.0						23.3		
	500	9:48	9:50	25.7	25.2	24.0	23.6	23.6	23.5	23.5	23.5	23.4	23.3	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	22.8	21.2					22.3		
	750	9:51	9:58	24.9	24.7	24.1	23.6	23.6	23.5	23.5	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.2	23.2	22.8	21.2					20.9	
	1000	10:17	10:20	24.4	24.1	23.7	23.6	23.5	23.5	23.5	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	22.3	21.2				20.0	
	1250	10:22	10:26	24.6	24.6	24.1	23.7	23.6	23.4	23.4	23.4	23.5	23.6	23.6	23.6	23.5	23.5	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.2	23.1	22.3	21.4	19.7					19.6	
	1500	10:36	11:00	24.4	24.3	24.2	24.0	23.6	23.5	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.1	22.3	21.1	19.7					19.6	
2000	11:10	11:14	24.4	24.1	24.0	23.9	23.8	23.7	23.6	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.0	21.8	20.9	19.9					19.8	
L線	500	10:41	10:45	25.2	23.9	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.2	23.1	23.1	23.1						22.9		
	750	10:31	10:34	24.1	24.3	24.3	23.7	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	22.7					21.5		
	1000	10:46	10:50	24.0	24.1	23.8	23.7	23.5	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.4	23.3	23.3	23.4	23.4	23.4	23.4	23.4	23.3	23.3	23.3	22.5	21.3					20.3	
	1250	10:51	10:54	24.2	24.3	24.2	24.0	23.7	23.6	23.4	23.5	23.5	23.7	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.2	23.2	23.0	21.7	21.0					20.0	
	1500	10:57	11:04	24.3	24.3	24.1	23.8	23.7	23.7	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.4	23.3	23.3	23.3	23.2	23.1	21.7	20.4				20.0	
	500	10:48	10:29	25.4	24.8	23.7	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.2	23.1	21.7	20.4					23.3		
M線	1000	10:41	10:44	24.0	23.9	23.9	23.7	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.6	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.2	22.5						21.3			
	1500	11:03	11:05	24.1	24.0	23.9	24.0	23.9	23.7	23.7	23.6	23.5	23.4	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.5	23.5	23.4	23.4	23.3	23.3	21.8	20.7				20.0		
	2000	10:17	10:20	24.0	24.0	23.8	23.6	23.5	23.4	23.4	23.3	23.3	23.3	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.2	22.1	20.7	19.7					19.5	
	3500	10:30	10:35	23.7	23.8	23.7	23.5	23.3	23.3	23.2	23.1	23.1	23.1	23.1	23.1	23.2	23.2	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.1	23.0	21.5	20.9	19.7	19.3	19.3			19.3
	500	9:32	9:35	23.9	23.9	23.7	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.3
	1000	11:10	11:16	24.0	24.1	24.0	24.0	23.9	23.8	23.8	23.7	23.6	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.3	23.3	23.2	23.1						22.9		
1500	10:00	10:02	24.3	24.4	24.3	24.1	23.9	23.7	23.7	23.6	23.5	23.5	23.5	23.5	23.5	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.4	23.4	23.4	23.3	22.8					20.7		
0	9:30	9:50	24.6	24.4	24.2	24.0	23.9																											23.8	
O線	500	10:07	10:16	24.6	24.0	23.8	23.7	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.6	23.6	23.6	23.5	23.4	23.2	23.2	23.1	22.3	21.2						23.5		
	2000	9:40	9:45	23.8	23.7	23.7	23.6	23.6	23.7	23.7	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.4	23.3	23.2	23.2	23.2	21.8	20.7					21.2		
	2500	9:51	10:15	23.9	23.9	23.7	23.6	23.6	23.5	23.5	23.5	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.3	23.2	23.2	23.2	23.2	21.8	20.7					20.6		
P線	4500	10:50	10:55	23.6	23.7	23.5	23.4	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	23.1	23.1	23.0	23.1	23.1	23.1	23.1	23.0	22.9	22.9	21.9	20.3	19.9	19.5	19.3			19.3	
	3500	10:50	10:55	23.9	23.9	23.8	23.6	23.6	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.3	23.3	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.2	21.6	20.9					20.0		
	2500	10:36	10:38	23.9	24.0	23.8	23.9	23.8	23.8	23.8	23.7	23.7	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.4	23.4	23.3	23.3												

島根原子力発電所 格子状定線の水温(第2回)

(平成18年7月13日 13:30~14:55)

1号機出力: 47 万kW

1号機放水量: 30 m³/s

天候:晴

気温:29.4℃

○水温の最高 27.5 ℃(定線J・距離250m・0m層)

2号機出力: 82 万kW

2号機放水量: 60 m³/s

風向・風速:西、5.7 m/s

風浪:2

○水温の最低 18.9 ℃(定線B・距離3500m・70m層, 他3点)

定線	距離(m)	開始時刻	終了時刻	測定水深(m)																																	
				0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	25.0	30.0	40.0	50.0	60.0	70.0	海底上1m						
A線	750			漁網のため欠測																																	
	1500	13:50	13:56	24.1	24.1	23.9	23.9	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.1	23.1	23.3	23.3	23.2	23.2	23.1	22.9	22.1	21.7	20.1	19.5	19.1	19.2		
	2500	14:01	14:05	23.9	23.9	23.9	23.9	23.8	23.7	23.7	23.5	23.5	23.5	23.3	23.1	23.1	23.1	23.3	23.3	23.2	23.2	23.1	22.9	22.1	21.7	20.1	19.5	19.1									
B線	750	13:30	13:37	24.2	24.3	24.2	24.1	24.0	24.0	24.0	24.0	24.0	23.9	23.9	23.9	23.9	23.9	23.9	23.8																		
	1500	13:46	13:53	23.9	23.8	23.8	23.8	23.7	23.7	23.7	23.7	23.7	23.7	23.8	23.8	23.7	23.5	23.1	23.1	23.1	23.3	23.3	23.2	23.3	23.2	21.6	21.5	20.6	19.6								
	2000	14:05	14:10	23.8	23.8	23.9	23.8	23.8	23.7	23.7	23.7	23.6	23.6	23.5	23.5	23.1	23.4	23.1	23.3	23.3	23.3	23.2	23.3	23.2	23.0	22.0	21.9	20.5	19.7								
	3500	14:40	14:45	24.0	24.0	23.9	23.8	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.1	22.9	22.6	22.0	21.5	20.1	19.5	19.1	18.9	18.9	18.9	18.9	18.9	18.9	18.9	18.9	
C線	500	13:10	13:13	24.9	24.8	24.3	24.0	23.9	23.8	23.8																											
	1000	13:30	13:35	24.0	23.9	23.9	23.9	23.9	23.9	23.8	23.8	23.7	23.7	23.7	23.8	23.7	23.6	23.6	23.5	23.1	23.3	23.7	21.9	21.7	21.3	20.8											
	1500	14:20	14:25	23.9	23.7	23.6	23.6	23.6	23.5	23.1	23.4	23.3	23.3	23.3	23.2	23.3	23.3	23.2	23.0	22.9	22.5	22.1	22.0	21.8	20.9	20.1	19.6										
	2000	13:56	14:01	23.9	23.9	23.9	23.9	23.8	23.7	23.7	23.6	23.6	23.5	23.5	23.5	23.1	23.4	23.1	23.3	23.3	23.3	23.3	23.3	23.3	22.2	21.8	20.7	19.7									
D線	500			工事区域内のため欠測																																	
	750			工事区域内のため欠測																																	
	1000	13:38	13:40	24.1	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	23.8	23.7	23.6	23.2	23.0	22.8	22.3	22.1	21.3	20.8	19.8								19.6	
	1250	13:59	14:03	23.8	23.6	23.6	23.5	23.5	23.1	23.1	23.3	23.3	23.3	23.2	23.1	23.3	23.3	23.1	23.3	23.2	23.0	22.1	22.1	22.0	21.4	20.8	19.9									19.3	
	1500	14:14	14:18	23.9	23.7	23.7	23.7	23.6	23.5	23.5	23.4	23.1	23.1	23.1	23.3	23.2	23.2	23.3	23.3	23.3	23.2	23.3	23.1	23.0	21.9	21.5	20.2	19.5								19.3	
	500			工事区域内のため欠測																																	
E線	750			工事区域内のため欠測																																	
	1000	13:11	13:17	23.9	23.9	23.9	23.9	23.8	23.7	23.7	23.6	23.5	23.5	23.1	23.1	23.3	23.5	23.1	23.1	23.3	23.1	23.0	22.9	22.6	21.2	20.8									20.3		
	1250	13:51	13:56	23.7	23.7	23.7	23.8	23.8	23.8	23.7	23.8	23.8	23.7	23.6	23.6	23.5	23.3	23.1	23.1	23.1	22.5	22.3	21.9	21.8	21.5	21.0	19.8									19.3	
	1500	14:06	14:10	23.8	23.6	23.6	23.5	23.4	23.3	23.3	23.2	23.2	23.2	23.3	23.3	23.3	23.3	23.3	23.2	23.1	23.0	22.1	22.2	22.1	21.8	20.8	19.7									19.2	
	2000	14:28	14:31	23.8	23.6	23.6	23.5	23.5	23.5	23.1	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.3	23.2	23.1	23.1	23.0	22.8	22.7	22.4	21.8	20.9	19.7	19.1							19.1	
	3500	14:21	14:29	23.9	23.8	23.7	23.6	23.5	23.4	23.3	23.3	23.2	23.2	23.2	23.1	23.1	23.1	23.1	23.2	23.1	23.1	23.1	22.9	22.8	22.1	21.5	20.2	19.5	19.1	18.9	18.9	18.9	18.9	18.9	18.9	18.9	
F線	500			工事区域内のため欠測																																	
	750			工事区域内のため欠測																																	
	1000	13:15	13:52	24.1	24.0	24.0	23.9	23.9	23.9	23.9	23.9	23.9	23.8	23.7	23.6	23.6	23.6	23.5	23.5	23.6	23.5	23.5	23.5	23.5	23.1	23.3	22.1	21.1								21.1	
	1250	13:55	13:59	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.7	23.6	23.5	23.5	23.1	23.1	23.3	23.4	23.5	23.5	23.1	23.3	23.1	21.7	21.2	20.5								20.3
	1500	14:27	14:30	23.9	24.0	23.9	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.7	23.6	23.5	23.5	23.1	23.3	23.4	23.5	23.5	23.1	23.3	23.1	21.7	21.2	20.6							20.1
	0			工事区域内のため欠測																																	
G線	250			工事区域内のため欠測																																	
	500			工事区域内のため欠測																																	
	750			工事区域内のため欠測																																	
	1000	13:40	13:42	24.1	24.1	24.1	24.1	24.0	23.9	23.9	23.8	23.8	23.7	23.6	23.5	23.5	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.1	23.3	21.9	21.4								20.1		
	1250	14:01	14:03	23.9	23.9	23.9	23.9	23.9	23.8	23.7	23.7	23.6	23.1	23.1	23.3	23.5	23.5	23.5	23.5	23.1	23.1	23.1	23.1	23.1	23.1	23.2	21.7	21.2	20.5							20.3	
	1500	14:20	14:24	24.0	23.9	23.9	23.8	23.8	23.8	23.7	23.7	23.6	23.5	23.1	23.3	23.3	23.3	23.3	23.1	23.6	23.5	23.1	23.1	23.1	23.1	23.1	21.9	21.7	20.3							19.9	
	2000	14:34	14:37	23.8	23.8	23.7	23.7	23.7	23.6	23.6	23.6	23.6	23.4	23.1	23.1	23.1	23.1	23.3	23.3	23.2	23.3	23.3	23.3	23.3	23.3	22.5	22.0	20.6	19.6							19.3	
	0			工事区域内のため欠測																																	
H線	250			工事区域内のため欠測																																	
	500			工事区域内のため欠測																																	
	750			工事区域内のため欠測																																	
	1000	13:30	13:35	24.2	24.2	24.1	24.1	24.1	24.0	24.0	23.9	23.8	23.7	23.6	23.5	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.1	23.3	23.1	21.8	21.4								20.3	
1250	14:07	14:10	24.0	24.0	24.0	24.0	23.9	24.0	23.8	23.8	23.5	23.1	23.1	23.3	23.1	23.6	23.6	23.5	23.3	23.3	23.1	23.3	23.1	23.3	23.1	21.7	21.1	20.5							20.2		
1500	14:11	14:18	24.0	24.0	24.0	23.9	23.9	23.8	23.8	23.7	23.5	23.1	23.1	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	22.3	21.6	20.8							19.5		

■:水温の最高

□:水温の最低

定線	距離 (m)	開始時刻	終了時刻	測定水深 (m)																												
				0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	25.0	30.0	40.0	50.0	60.0	70.0	海底1.1m	
	0			工事区域内のため欠測																												
	250			工事区域内のため欠測																												
	500			工事区域内のため欠測																												
I線	750	13:50	13:53	24.2	24.2	24.2	24.2	24.1	24.0	24.0	23.9	23.8	23.7	23.6	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.3	23.1	22.1	21.6					20.6
	1000	13:55	13:58	24.1	24.1	24.1	24.1	24.0	23.8	23.7	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.4	23.3	23.1	21.8	21.4					20.5
	1250	14:00	14:04	24.0	24.0	24.0	24.0	24.1	24.0	23.7	23.5	23.5	23.1	23.3	23.3	23.3	23.1	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	21.7	21.5	20.1				20.2
	1500	14:06	14:10	23.9	23.9	23.9	23.9	23.9	23.7	23.6	23.5	23.4	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.2	23.3	23.3	23.3	23.3	23.2	21.9	21.4	20.1				19.7
	2000	14:13	14:18	23.8	23.8	23.8	23.8	23.7	23.6	23.6	23.5	23.4	23.4	23.1	23.3	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	21.9	21.4	20.1				19.3
	2500	14:22	14:28	23.8	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.5	23.3	23.3	23.3	23.2	23.2	23.2	23.2	23.2	23.2	23.2	23.1	23.0	22.2	21.5	20.3	19.5	19.3
J線	0	13:36	13:38	26.7	26.7	25.9	24.0	23.7	23.7	23.6	23.4	23.5	23.4	23.4	23.4	23.4															19.6	
	250	13:40	13:42	27.0	26.6	24.7	21.1	23.6	23.7	23.7	23.7	23.6	23.1	23.1	23.1	23.1	23.1	23.3	23.3	23.3	23.3	23.3	23.3	23.3	22.9							23.5
	500	13:41	13:46	26.4	24.6	24.2	24.1	24.0	23.8	23.8	23.7	23.6	23.6	23.5	23.5	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	22.9							23.1
	750	13:53	13:55	24.3	24.3	24.3	24.2	24.0	24.0	23.9	23.8	23.7	23.6	23.6	23.6	23.5	23.4	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.1	21.7						22.3
	1000	13:58	14:07	24.2	24.1	24.1	24.1	23.9	23.7	23.6	23.6	23.7	23.7	23.6	23.6	23.5	23.4	23.5	23.5	23.4	23.3	23.3	23.3	23.3	23.4	21.9	21.4					20.8
	1250	14:22	14:27	24.1	24.1	24.0	24.0	23.9	23.8	23.6	23.6	23.6	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.3	23.3	23.3	23.3	23.4	21.9	21.4			20.5		20.7
K線	1500	14:34	14:38	24.0	24.0	23.9	23.9	23.8	23.8	23.7	23.6	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	22.0	21.4	20.5				20.3	
	0	13:30	13:34	26.3	26.3	26.1	25.8	25.6	24.0	23.8	23.7																					20.0
	250	13:37	13:40	26.1	26.0	25.1	24.6	24.1	24.3	24.0	23.7	23.6	23.6	23.6	23.6	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.3	22.3	21.8	20.6					23.5
	500	13:41	13:47	26.0	25.7	24.8	24.1	24.0	24.0	24.0	23.9	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.3	22.8							23.3
	750	13:49	13:51	24.4	24.1	24.3	24.3	24.3	24.0	24.0	23.9	23.9	23.8	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.3	23.3	22.0						22.0
	1000	14:09	14:11	24.2	24.1	24.1	24.0	24.0	23.9	23.9	23.8	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.6	23.5	23.5	23.5	23.4	21.8	21.4					21.4
L線	1250	14:14	14:19	24.1	24.0	24.0	23.8	23.7	23.7	23.7	23.6	23.5	23.4	23.4	23.5	23.5	23.4	23.4	23.5	23.5	23.4	23.4	23.4	23.3	21.9	21.4					20.6	
	1500	14:28	14:31	24.0	24.0	24.0	24.0	23.9	23.9	23.8	23.7	23.6	23.6	23.5	23.5	23.5	23.4	23.4	23.5	23.5	23.4	23.4	23.4	23.3	21.9	21.4					20.6	
	2000	14:42	14:46	23.9	23.9	23.8	23.8	23.8	23.7	23.7	23.7	23.7	23.6	23.6	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.3	23.3	22.5	22.0	20.4					19.6
	500	13:58	14:02	25.8	25.7	25.0	24.1	24.2	24.1	24.1	24.1	24.0	23.7	23.7	23.6	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.3								23.1
	750	14:10	14:14	24.4	24.4	24.3	24.1	24.1	24.1	24.1	24.1	24.0	24.0	23.7	23.6	23.5	23.5	23.5	23.5	23.4	23.4	23.4	23.4	23.3	21.9							21.7
	1000	14:30	14:34	24.1	24.1	24.0	24.0	23.9	23.9	23.9	23.9	23.9	23.8	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.6	23.6	23.5	21.9	21.6						21.1
M線	1250	14:36	14:41	24.1	24.1	24.0	24.0	23.9	23.9	23.8	23.7	23.6	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.6	23.6	23.6	23.5	21.9	21.7						20.9	
	1500	14:43	14:48	24.1	24.0	24.0	23.9	23.9	23.9	23.8	23.7	23.5	23.5	23.5	23.5	23.5	23.5	23.5	23.6	23.6	23.6	23.6	23.5	22.3	21.7						20.8	
	500	14:03	14:09	25.7	25.6	24.6	24.6	24.5	24.5	24.5	24.4	24.4	24.4	24.1	24.2	24.2	24.2	23.9	23.7	23.5												23.4
	1000	14:21	14:27	24.2	24.2	24.2	24.2	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.0	23.7	23.6	23.5	23.5	23.5	23.4	23.4	23.3	22.0							21.3
	1500	14:49	14:53	24.1	24.0	24.0	24.0	24.0	24.0	23.9	23.8	23.8	23.7	23.8	23.8	23.8	23.8	23.7	23.7	23.6	23.6	23.6	23.5	22.8	21.6							20.7
	2000	14:18	14:20	24.0	24.0	23.9	23.9	23.9	23.9	23.8	23.8	23.8	23.7	23.8	23.8	23.8	23.8	23.8	23.7	23.7	23.6	23.6	23.6	23.5	22.8	21.6						20.7
N線	3500	14:30	14:34	24.0	23.9	23.9	23.9	23.9	23.8	23.8	23.7	23.8	23.5	23.5	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.3	22.0	21.5	20.3					19.7	
	500	13:30	13:32	24.7	24.7	24.6	24.4	24.4	24.4	24.3	23.8	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.4	23.4	23.3	23.2	22.2	21.1	20.5	19.7	19.2				19.1
	1000	14:37	14:40	24.4	24.4	24.2	24.2	24.2	24.2	24.2	24.1	24.0	23.8	23.6	23.6	23.5	23.5	23.5	23.5	23.4	23.4	23.3	23.2	22.2	21.1	20.5	19.7	19.2				19.1
	1500	14:02	14:05	24.2	24.2	24.2	24.1	24.0	24.0	23.9	23.9	23.9	23.7	23.5	23.5	23.5	23.5	23.5	23.5	23.4	23.4	23.3	23.2	22.9	22.0							21.1
	0	13:30	13:34	24.8	24.6	24.4	24.3	24.3																								24.2
	500	13:52	13:54	25.0	25.0	24.7	24.1	24.4	24.4	24.1	24.1	24.1	24.2	24.0	23.8	23.7	23.6	23.6	23.5	23.5	23.4	23.4	23.3	23.0	22.4	21.7	21.4					23.7
O線	2000	13:30	13:31	24.3	24.2	24.1	24.1	24.1	24.0	24.0	23.8	23.7	23.7	23.6	23.6	23.6	23.5	23.5	23.5	23.4	23.4	23.3	23.0	22.4	21.7	21.4					20.8	
	2500	13:37	13:42	24.0	24.0	23.9	23.8	23.7	23.7	23.6	23.6	23.6	23.6	23.6	23.5	23.5	23.5	23.4	23.3	23.1	23.1	23.1	22.7	22.7	22.7	21.7	21.4	20.5				20.1
	4500	14:47	14:55	23.9	23.9	23.9	23.8	23.7	23.6	23.5	23.5	23.4	23.3	23.3	23.1	23.1	23.1	23.1	23.0	23.1	23.1	23.0	22.9	22.0	21.2	20.3	19.6					19.2
P線	3500	14:15	14:20	23.9	23.9	23.9	23.8	23.8	23.7	23.6	23.5	23.5	23.5	23.5	23.6	23.6	23.5	23.5	23.4	23.4	23.3	23.3	23.2	22.9	22.7	21.9	21.3					20.0
	2500	14:00	14:04	24.3	24.3	24.3	24.2	24.1	24.1	24.0	23.9	23.8	23.7	23.6	23.6	23.5	23.4	23.4														23.3
Q線	3500	14:06	14:11	24.2	24.2	24.1	24.1	24.0	24.0	23.9	23.9	23.8	23.7	23.7	23.7	23.6	23.6	23.5	23.5	23.5	23.4	23.3	22.8	22.7								22.1
	4500	14:27	14:33	23.9	23.9	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.8	23.7	23.7	23.7	23.6	23.6	22.2	21.5							20.2

 : 水温の最高
  : 水温の最低