

島根原子力発電所 沿岸定点の水温 (平成20年3月)

観測時刻 10時

(単位:℃)

場所	日 水深	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	水深別 平均	月間	
																																最高		最低	
1号機放水口	1m	13.0	13.1	13.3	13.2	13.2	13.8	13.8	13.2	13.2	13.8	13.5	13.9	13.5	13.5	13.9	14.0	14.0	14.0	14.0	14.1	14.0	14.0	13.2	14.0	14.1	14.1	13.4	13.2	13.5	13.5	13.2	13.6	14.1	13.0
2号機放水口	1m	18.9	18.9	19.0	19.2	19.2	19.2	19.3	19.2	19.1	19.4	19.2	19.3	19.2	19.5	19.6	19.7	19.7	19.8	19.8	19.8	19.6	19.8	19.7	19.6	19.7	19.8	19.8	19.8	20.1	20.0	19.8	19.5	20.1	18.9
輪谷湾	1m	12.4	12.4	12.6	12.6	12.6	12.7	12.7	12.7	12.6	12.9	12.8	12.9	12.8	13.0	13.1	13.3	13.2	13.3	13.4	13.0	13.0	13.3	13.2	13.1	13.3	13.4	13.3	13.3	13.4	13.5	13.2	13.0	13.5	12.4
	3m	12.4	12.3	12.6	12.5	12.6	12.7	12.6	12.7	12.6	12.9	12.7	12.9	12.7	13.0	13.1	13.2	13.2	13.3	13.4	13.0	12.9	13.2	13.2	13.1	13.3	13.3	13.3	13.3	13.4	13.5	13.2	13.0	13.5	12.3
片句	1m	11.8	12.0	11.9	12.0	11.8	11.9	12.0	11.9	12.0	12.3	12.3	12.5	12.4	12.6	12.7	12.8	12.9	12.9	13.1	12.9	12.9	12.8	13.1	*1 欠測					12.4	13.1	11.8			
	3m	11.9	12.1	12.0	12.1	11.8	11.9	12.1	12.0	12.1	12.5	12.4	12.5	12.5	12.7	12.8	12.8	12.9	13.0	13.1	13.0	13.0	12.9	13.1	*1 欠測					12.5	13.1	11.8			
御津	1m	11.3	11.1	11.5	11.4	10.9	11.4	11.1	12.2	11.9	12.3	12.6	12.8	12.7	12.7	12.1	12.9	12.8	13.1	13.3	12.0	12.0	12.7	13.2	12.8	13.2	12.7	12.8	12.9	12.9	13.1	12.7	12.4	13.3	10.9
	3m	11.6	11.3	11.7	11.7	11.2	11.7	11.3	12.3	12.1	12.6	12.8	13.0	12.9	13.0	12.5	13.1	13.0	13.3	13.5	13.1	13.2	13.3	13.4	13.3	13.3	13.2	13.0	13.2	13.2	13.3	13.1	12.7	13.5	11.2

*1 片句の海水温度記録計移設にともなう欠測

場所	日 水深	上旬 (3日)	中旬 (12日)	下旬 (24日)	水深別 平均	月間	
							最高
※2 放水口沖 (1号)	0m	12.5	12.9	13.2	12.9	13.2	12.5
	1m	12.5	12.9	13.2	12.9	13.2	12.5
	2m	12.5	12.9	13.2	12.9	13.2	12.5
	3m	12.5	12.9	13.2	12.9	13.2	12.5
	4m	12.6	12.9	13.2	12.9	13.2	12.6
	5m	12.6	12.9	13.2	12.9	13.2	12.6
	6m	12.5	12.9	13.2	12.9	13.2	12.5
	7m	12.5	12.9	13.2	12.9	13.2	12.5
	8m	12.5	12.9	13.2	12.9	13.2	12.5
	9m	12.5	12.9	13.2	12.9	13.2	12.5
10m	12.5	12.9	13.2	12.9	13.2	12.5	

日 水深	上旬 (3日)	中旬 (12日)	下旬 (24日)	水深別 平均	月間	
						最高
11m	12.5	12.9	13.2	12.9	13.2	12.5
12m	12.6	12.9	13.2	12.9	13.2	12.6
13m	12.6	12.9	13.2	12.9	13.2	12.6
14m	12.6	12.9	13.2	12.9	13.2	12.6
15m	12.6	12.9	13.2	12.9	13.2	12.6
16m	12.6	12.9	13.2	12.9	13.2	12.6
17m	12.6	12.9	13.2	12.9	13.2	12.6
18m	12.6	12.9	13.2	12.9	13.2	12.6
19m	12.6	12.9	13.2	12.9	13.2	12.6
20m	12.6	12.9	13.2	12.9	13.2	12.6

※2 放水口沖水温は、可搬式水温計による実測値。

様式 H-6-②
添付